

Studies, geïnitieerd in Nederland of Vlaanderen, die PROMIS gebruiken

1. Warnink-Kavelaars J, de Koning LE, van der Hulst AE, Buizer AI, Poissonnier N, Wijninga LE, Menke LA, Mosquera LM, Rombaut L, Engelbert RHH. Physical fitness in children with Marfan and Loeys-Dietz syndrome: associations between cardiovascular parameters, systemic manifestations, fatigue, and pain.
2. Zian A, Overdevest GM, Schutte PJ, Klok FA, Steyerberg EW, Moojen WA, van der Gaag NA. Aspin: neurosurgical aspirin intervention prognostic study - perioperative continuation versus discontinuation of aspirin in lumbar spinal surgery, a randomized controlled, noninferiority trial. *Trials.* 2024;25:156.
3. Kruiswijk AA, van de Sande MAJ, Verhoef C, Schrage YM, Haas RL, Bemelmans MHA, van Ginkel RJ, Bonenkamp JJ, Witkamp AJ, van den Akker-van Marle ME, Marang-van de Mheen PJ, van Bodegom-Vos L. Changes in Health-Related Quality of Life following Surgery in Patients with High-Grade Extremity Soft-Tissue Sarcoma: A Prospective Longitudinal Study. *Cancers* 2024;16:547.
4. Oosterveer DM, van Meijeren-Pont W, Arwert H, Terwee CB, Vliet Vlieland TP. The psychometric properties of the PROMIS® profile CAT in people with stroke. *Top Stroke Rehabil*
5. Spierings JF, Willinge GJA, Schuijt HJ, Smeeing DPJ, Kokke MC, Colaris JW, Goslings JC, Twigt BA; Collaboration group. Direct discharge for children with a greenstick or torus fracture of the wrist is a non-inferior satisfactory solution to traditional treatment. *Eur J Trauma Emerg Surg*
6. Klinkhamer S, Duits AA, Deckers K, Horn J, Slooter AJ, Verwijk E, van Heugten CM, Visser-Meily JM; NeNeSCo study group. A biopsychosocial approach to persistent post-COVID-19 fatigue and cognitive complaints: results of the prospective multicenter NeNeSCo study. *Arch Phys Med Rehabil*
7. Houwen T, Verhofstad MHJ, van Egmond PW, Enting M, Lansink KWW, de Jongh MAC. Using PROM(I)S to measure health-related quality of life in patients with a bone fracture: An observational cohort study. *Injury* 2024;55:111278.
8. Terluin B, Trigg A, Fromy P, Schuller W, Terwee CB, Bjorner JB. Estimating anchor-based minimal important change using longitudinal confirmatory factor analysis. *Qual Life Res* 2024;33:963-973.
9. Teuwen MMH, van Weely SFE, Vliet Vlieland TPM, van Wissen MAT, Peter WF, den Broeder AA, van Schaardenburg D, van den Hout WB, Van den Ende CHM, Gademan MGJ. Effectiveness of longstanding exercise therapy compared with usual care for people with rheumatoid arthritis and severe functional limitations: a randomised controlled trial. *Ann Rheum Dis* 2024 ;83:437-445.
10. van der Ende-van Loon M, Korteling D, Willekens H, Schilders M, Curvers W, Bisschops R, Schoon E, Terwee C. Dutch-Flemish translation and validation of the gastrointestinal symptom scales from the patient-reported outcomes measurement information system (PROMIS)®. *J Patient Rep Outcomes.* 2023;7:125.
11. Moody K, Nieuwkerk PT, Bedert M, Nellen JF, Weijzenfeld A, Sigaloff KCE, Laan L, Bruins C, van Oers H, Haverman L, Geerlings SE, Van der Valk M. Optimising HIV care using information obtained from PROMs: protocol for an observational study. *BMJ Open.* 2023;13:e073758.
12. Houwen T, Theeuwes HP, Verhofstad MHJ, de Jongh MAC. From numbers to meaningful change: Minimal important change by using PROMIS in a cohort of fracture patients. *Injury.* 2023;54:110882.
13. Terwee, C.B. Common measures or common metrics? the value of IRT-based common metrics. *J Patient Rep Outcomes* 2023;7:117.
14. Slotegraaf AI, Gerards MHG, Verburg AC, de van der Schueren MAE, Kruizenga HM, Graff MJL, Cup EHC, Kalf JG, Lenssen AF, Meijer WM, Kool RA, de Bie RA, van der Wees PJ, Hoogeboom TJ; Dutch Consortium Allied Healthcare COVID-19. Evaluation of Primary Allied

- Health Care in Patients Recovering From COVID-19 at 6-Month Follow-up: Dutch Nationwide Prospective Cohort Study. *JMIR Public Health Surveill.* 2023 Oct 20;9:e44155.
- 15. Fischer K, Tieskens JM, Luijten MAJ, Zijlmans J, van Oers HA, de Groot R, van der Doelen D, van Ewijk H, Klip H, van der Lans RM, De Meyer R, van der Mheen M, van Muilekom MM, Hyun Ruisch I, Teela L, van den Berg G, Bruining H, van der Rijken R, Buitelaar J, Hoekstra PJ, Lindauer R, Oostrom KJ, Staal W, Vermeiren R, Cornet R, Haverman L, Bartels M, Polderman TJC, Popma A. Internalizing problems before and during the COVID-19 pandemic in independent samples of Dutch children and adolescents with and without pre-existing mental health problems. *Eur Child Adolesc Psychiatry.* 2023 Oct;32(10):1873-1883.
 - 16. Walrabenstein W, Wagenaar CA, van de Put M, van der Leeden M, Gerritsen M, Twisk JWR, van der Esch M, van Middendorp H, Weijs PJM, Roorda LD, van Schaardenburg D. A multidisciplinary lifestyle program for metabolic syndrome-associated osteoarthritis: the "Plants for Joints" randomized controlled trial. *Osteoarthritis Cartilage.* 2023;31:1491-1500.
 - 17. Kruiswijk AA, Dorleijn DMJ, Marang-van de Mheen PJ, van de Sande MAJ, van Bodegom-Vos L. Health-Related Quality of Life of Bone and Soft-Tissue Tumor Patients around the Time of Diagnosis. *Cancers (Basel).* 2023;15:2804.
 - 18. den Bakker CM, Schaafsma FG, Consten ECJ, Schraffordt Koops SE, van der Meij E, van de Ven PM, Bonjer HJ, Huirne JAF, Anema JR. Personalised electronic health programme for recovery after major abdominal surgery: a multicentre, single-blind, randomised, placebo-controlled trial. *2023;5:e485-e494.*
 - 19. Hermans ME, van Oers HA, Geurtsen GJ, Haverman L, Hollak CEM, Rubio-Gozalbo ME, Bosch AM. The challenges of classical galactosemia: HRQoL in pediatric and adult patients. *Orphanet J Rare Dis.* 2023;18:135.
 - 20. Cijss B, Valkenet K, Heijnen G, Visser-Meily JMA, van der Schaaf M. Patients With and Without COVID-19 in the Intensive Care Unit: Physical Status Outcome Comparisons 3 Months After Discharge. *Phys Ther.* 2023;103:ptad039.
 - 21. Teuwen MMH, Knaapen IRE, Vliet Vlieland TPM, Schoones JW, van den Ende CHM, van Weely SFE, Gademan MGJ. The use of PROMIS measures in clinical studies in patients with inflammatory arthritis: a systematic review. *Qual Life Res.* 2023;32:2731-2749.
 - 22. Oud T, Tuijtelaars J, Bogaards H, Nollet F, Brehm MA. Preliminary effectiveness of 3D-printed orthoses in chronic hand conditions: study protocol for a non-randomised interventional feasibility study. *BMJ Open.* 2023;13:e069424.
 - 23. Terwee CB, van der Willik EM, van Breda F, van Jaarsveld BC, van de Putte M, Jetten IW, Dekker FW, Meuleman Y, van Ittersum FJ. Responsiveness and Minimal Important Change of seven PROMIS computerized adaptive tests (CAT) in patients with advanced chronic kidney disease. *J Patient Rep Outcomes.* 2023;7:35.
 - 24. van Wissen M, Straathof B, Vliet Vlieland T, van den Ende C, Teuwen M, Peter WF, den Broeder AA, van den Hout WB, van Schaardenburg D, van Tubergen AM, Gademan M, van Weely S. Construct validity of the PROMIS PF-10 in patients with inflammatory rheumatic diseases and severe limitations in physical functioning. *Scand J Rheumatol.* 2023;52:645-653.
 - 25. Terwee CB, van Litsenburg RRL, Elsman EBM, Roorda LD. Psychometric properties and reference values of the Patient-Reported Outcomes Measurement Information System (PROMIS) sleep item banks in the Dutch general population. *J Sleep Res.* 2023;32:e13753.
 - 26. Havermans RJM, Lansink KWW, Gosens T, de Jongh MAC. Comparing Patient-Reported Outcomes Measurement Information System Computer Adaptive Testing With Existing Measures After Operative Interventions for Extremity Fractures. *Value Health.* 2023;26:1235-1241.
 - 27. Mol TI, Scholten EWM, Van Bennekom CAM, Visser JMA, Reneman MF, De Groot V, Meijer JG, Smeets RJEM, Post MWM. Using Self-Regulation Assessment to Explore Associations between Self-Regulation, Participation and Health-Related Quality of Life in a Rehabilitation Population. *J Rehabil Med.* 2023;55:jrm00369.

28. Oude Voshaar M, Terwee CB, Haverman L, van der Kolk B, Harkes M, van Woerden CS, van Breda F, Breukink S, de Hoop I, Vermeulen H, de Graaf E, Hazelet J, van Leiden B, Stienen J, Hoekstra M, Bart H, van Bommel H, Determann D, Verburg M, van der Wees P, Beurskens AJ. Development of a standard set of PROs and generic PROMs for Dutch medical specialist care : Recommendations from the Outcome-Based Healthcare Program Working Group Generic PROMs. *Qual Life Res.* 2023;32:1595–1605.
29. Dovern E, Nijland SJAM, van Muilekom MM, Suijk LMJ, Hoogendoorn GM, Mekelenkamp H, Biemond BJ, Haverman L, Nur E. Physical, Mental, and Social Health of Adult Patients with Sickle Cell Disease after Allogeneic Hematopoietic Stem Cell Transplantation: A Mixed-Methods Study. *Transplant Cell Ther* 2023;29:283.
30. Bense JE, Haverman L, von Asmuth EGJ, Louwerens M, Luijten MAJ, Stiggelbout AM, Lankester AC, de Pagter APJ. Late Effects in Pediatric Allogeneic Hematopoietic Stem Cell Transplantation for Nonmalignant Diseases: Proxy- and Patient-Reported Outcomes. *Transplant Cell Ther.* 2023;29:186.e1-186.e10.
31. Schuller W, Terwee CB, Terluin B, Rohrich D, Ostelo RWJG, de Vet HCW. Responsiveness and Minimal Important Change of the PROMIS Pain Interference item bank in patients presented in Musculoskeletal Practice. *J Pain* 2023;24:530-539.
32. Terwee CB, van der Willik EM, van Breda F, van Jaarsveld BC, van de Putte M, Jetten IW, Dekker FW, Meuleman Y, van Ittersum FJ. Responsiveness and minimal important change of seven PROMIS computerized adaptive tests (CAT) in patients with advanced chronic kidney disease. *J Patient Rep Outcomes.* 2023;7:35.
33. Peymani A, Lokhorst MM, Chen AD, van der Horst CMAM, Lee BT, Lin SJ, Strackee SD. #MadelungDeformity: Insights Into a Rare Congenital Difference Using Social Media. *Hand (N Y).* 2023;18:24S-31S.
34. Bense JE, Haverman L, von Asmuth EGJ, Louwerens M, Luijten MAJ, Stiggelbout AM, Lankester AC, de Pagter APJ. Late Effects in Pediatric Allogeneic Hematopoietic Stem Cell Transplantation for Nonmalignant Diseases: Proxy- and Patient-Reported Outcomes. *Transplant Cell Ther* 2023;29:186.e1-186.e10.
35. Straat AC, Maarleveld JM, Smit DJM, Visch L, Hulsegege G, Huirne JAF, van Dongen JM, van Geenen RC, Kerkhoffs GMMJ, Anema JR, Coenen P, Kuijer PPFM. (Cost-)effectiveness of a personalized multidisciplinary eHealth intervention for knee arthroplasty patients to enhance return to activities of daily life, work and sports - rationale and protocol of the multicentre ACTIVE randomized controlled trial. *BMC Musculoskelet Disord* 2023;24:162.
36. van Hoorn ES, Teela L, Kuijlaars IAR, Fischer K, Gouw SC, Cnossen MH, Haverman L; for SYMPHONY consortium and Dutch research group for PROMIS implementation in inherited bleeding disorders. Harmonizing patient-reported outcome measurements in inherited bleeding disorders with PROMIS. *Haemophilia.* 2023;29:357-361.
37. Terwee CB, Roorda LD. Country-specific reference values for PROMIS® pain, physical function and participation measures compared to US reference values. *Ann Med* 2023;55:1-11.
38. Dreuning KM, Haverman L, Bosschieter PF, van Looij MA, van Heurn LE, Derikx JP. Age-specific and family-centered information modalities to prepare children at home for day-care surgery. *J Pediatr Surg* 2023;58:510-517.
39. Furumaya A, Haring MPD, van Rosmalen BV, Klompenhouwer AJ, Besselink MG, de Man RA, IJzermans JNM, Thomeer MGJ, Kramer M, Coolsen MME, Tushuizen ME, Schaapherder AF, de Haas RJ, Duiker EW, Kazemier G, van Delden OM, Verheij J, Takkenberg RB, Cuperus FJC, De Meijer VE, Erdmann JI; Dutch Benign Liver Tumor Group (DBLTG). Study protocol for a multicentre nationwide prospective cohort study to investigate the natural course and clinical outcome in benign liver tumours and cysts in the Netherlands: the BELIVER study. *BMJ Open.* 2022;12:e055104.
40. Kwakkenbos L, Carrier ME, Welling J, Levis B, Levis AW, Sauve M, Turner KA, Tao L, Aguila K, Carboni-Jiménez A, Cañedo-Ayala M, Harb S, van den Ende C, Hudson M, van Breda W, Nguyen C, Boutron I, Rannou F, Thombs BD, Mounthon L; SPIN Investigators. Randomized

controlled trial of an internet-based self-guided hand exercise program to improve hand function in people with systemic sclerosis: the Scleroderma Patient-centered Intervention Network Hand Exercise Program (SPIN-HAND) trial. *Trials*. 2022;23:994.

41. Furumaya A, Nooijen LE, Haring MPD, van Oers HA, van Beneden M, van Rosmalen BV, Takkenberg RB, Kazemier G, Besselink MG, de Meijer VE, Erdmann JI; Dutch Benign Liver Tumor Group. Development of a set of patient reported outcome measures for patients with benign liver tumours and cysts: patient focus groups and systematic review. *J Patient Rep Outcomes* 2022;6:124.
42. van Hoorn ES, Teela L, Kuijlaars IAR, Fischer K, Gouw SC, Cnossen MH, Haverman L; for SYMPHONY consortium and Dutch research group for PROMIS implementation in inherited bleeding disorders. Harmonizing patient-reported outcome measurements in inherited bleeding disorders with PROMIS. *Haemophilia* 2022; Nov 17.
43. Wiertz CMH, Hemmen B, Sep SJS, van Santen S, van Horn YY, van Kuijk SMJ, Verbunt JA. Life after COVID-19: the road from intensive care back to living - a prospective cohort study. *BMJ Open* 2022;12:e062332.
44. Huang IH, Schol J, Khutun R, Carbone F, Van den Houte K, Colomier E, Balsiger LM, Törnblom H, Vanuytsel T, Sundelin E, Simrén M, Palsson OS, Bangdiwala SI, Sperber AD, Tack J. Worldwide prevalence and burden of gastroparesis-like symptoms as defined by the United European Gastroenterology (UEG) and European Society for Neurogastroenterology and Motility (ESNM) consensus on gastroparesis. *United European Gastroenterol J* 2022;10:888-897.
45. Stor MLE, Lokhorst MM, Horbach SER, Young-Afat DA, Spuls PI, van der Horst CMAM. Appearance-related concerns and their impact on health-related quality of life in patients with peripheral vascular malformations. *J Plast Reconstr Aesthet Surg* 2022;75:4202-4211.
46. van den Ende ES, Merten H, Van der Roest L, Toussaint B, van Rijn Q, Keesenberg M, Lodders AM, van Veldhuizen K, Vos IE, Hoekstra S, Nanayakkara PWB. Evaluation of Nonpharmacologic Interventions and Sleep Outcomes in Hospitalized Medical and Surgical Patients: A Nonrandomized Controlled Trial. *JAMA Netw Open*. 2022 Sep 1;5(9):e2232623.
47. van Balen EC, Hassan S, Smit C, Driessens MHE, Beckers EAM, Coppens M, Eikenboom JC, Hooimeijer HL, Leebeek FWG, Mauser-Bunschoten EP, van Vulpen LFD, Schols SEM, Rosendaal FR, van der Bom JG, Gouw SC. Socioeconomic participation of persons with hemophilia: Results from the sixth hemophilia in the Netherlands study. *Res Pract Thromb Haemost* 2022;6:e12741.
48. Elsman EBM, Flens G, de Beurs E, Roorda LD, Terwee CB. Towards standardization of measuring anxiety and depression: Differential item functioning for language and Dutch reference values of PROMIS item banks. *PLoS One* 2022;17:e0273287
49. Tseng LA, Teela L, Janssen MC, Bok LA, Willemse MAAP, Neuteboom RF, Haverman L, Gospe SM Jr, Coughlin CR, van Karnebeek CDM. Pyridoxine-dependent epilepsy (PDE-ALDH7A1) in adulthood: A Dutch pilot study exploring clinical and patient-reported outcomes. *Mol Genet Metab Rep* 2022;31:100853.
50. Peersmann SHM, Luijten MAJ, Haverman L, Terwee CB, Grootenhuis MA, van Litsenburg RRL. Psychometric properties and CAT performance of the PROMIS® Pediatric Sleep-Related Impairment and Fatigue item banks in Dutch children and adolescents. *Psychol Assess* 2022;34:860-869.
51. Elsman EBM, Roorda LD, Smidt N, de Vet HCW, Terwee CB. Measurement properties of the Dutch PROMIS-29 v2.1 profile in people with and without chronic conditions. *Qual Life Res* 2022;31:3447–3458.
52. de Graaf JA, Post MWM, Visser-Meil JMA. Ervaringen met de PROMIS-10 na CVA: promising in de spreekkamer. *Ned Tijdschr Reval* 2022;40:42.
53. Fischer K, Tieskens JM, Luijten MAJ, Zijlmans J, van Oers HA, de Groot R, van der Doelen D, van Ewijk H, Klip H, van der Lans RM, De Meyer R, van der Mheen M, van Muilekom MM, Hyun Ruisch I, Teela L, van den Berg G, Bruining H, van der Rijken R, Buitelaar J, Hoekstra PJ,

- Lindauer R, Oostrom KJ, Staal W, Vermeiren R, Cornet R, Haverman L, Bartels M, Polderman TJC, Popma A. Internalizing problems before and during the COVID-19 pandemic in independent samples of Dutch children and adolescents with and without pre-existing mental health problems. *Eur Child Adolesc Psychiatry* 2022 May;26:1–11.
54. Arwert HJ, Oosterveer DM, Schoones JW, Terwee CB, Vliet Vlieland TPM. The use of PROMIS item banks in clinical research in stroke patients, a systematic literature review. *Arch Rehabil Res Clin Transl* 2022;4:100191.
55. Oosterveer DM, Arwert HJ, Terwee CB, Schoones JW, Vliet Vlieland TPM. Measurement properties and interpretability of the PROMIS item banks in stroke patients: a systematic review. *Qual Life Res* 2022;31:3305–3315.
56. Terwee CB, Elsman EBM, Roorda LD. Towards standardization of fatigue measurement: Psychometric properties and reference values of the PROMIS Fatigue item bank in the Dutch general population. *Res Methods Med Health Sciences* 2022;3:86–98.
57. Zonjee VJ, Abma IL, de Mooij MJ, van Schaik SM, Van den Berg-Vos RM, Roorda LD, Terwee CB. The Patient-Reported Outcomes Measurement Information Systems (PROMIS®) Physical Function and its derivative measures in adults: A systematic review of content validity. *Qual Life Res* 2022;31:3317–3330.
58. Brouwers EMJR, Terwee CB, Roorda LD, Hosman AF, van de Meent H, Bartels RHMA. Dutch-Flemish translation and cross-cultural adaption of the Spinal Cord Injury-Quality of Life (SCI-QOL) short forms. *Eur Spine J* 2022;31:1349–1357.
59. Houwen T, de Munter L, Lansink KWW, de Jongh MAC. There are more things in physical function and pain: a systematic review on physical, mental and social health within the orthopedic fracture population using PROMIS. *J Patient Rep Outcomes* 2022;6:34.
60. Heesterbeek MR, Luijten MAJ, Gouw SC, Limperg PF, Fijnvandraat K, Coppens M, Kruip MJHA, Eikenboom J, Grootenhuis MA, Flens G, Terwee CB, Peters M, Haverman L. Measuring Anxiety and Depression in Young Adult Men with Haemophilia using PROMIS. *Haemophilia* 2022;1–4.
61. Luijten MAJ, Haverman L, van Litsenburg RRL, Grootenhuis MA, Terwee CB. Advances in measuring pediatric overall health: The PROMIS® pediatric Global Health scale (PGH-7). *Eur J Pediatrics* 2022;181:2117–2125.
62. Klaufus L, Tang X, Verlinden E, van der Wal M, Haverman L, Luijten M, Cuijpers P, Chinapaw M, Schalet B. Linking the RCADS-25 to the PROMIS® pediatric item banks Anxiety and Depressive Symptoms in a general Dutch population sample. *Qual Life Res* 2022;31:1587–1595.
63. Geraedts ACM, Mulay S, Terwee CB, Vahl AC, Verhagen HJM, Ünlü C, Ubbink DT, Koelemay MJW, Balm R. Patient-Reported Outcomes of yearly imaging surveillance in patients following endovascular aortic aneurysm repair. *Ann Vasc Surg* 2022;82:221–227.
64. Stor MLE, Lokhorst MM, Horbach SER, Young-Afat DA, Kappen TM, van Hout NM, Spuls PI, van der Horst CMAM. Clinical characteristics associated with pain in patients with peripheral Vascular Malformations. *J Vasc Surg* 2022;75:1054–1062.e1.
65. Flens G, Terwee CB, Smits N, Williams G, Spinhoven P, Roorda LD, de Beurs E. Construct Validity, Responsiveness, and Utility of Change Indicators of the Dutch-Flemish PROMIS Item Banks for Depression and Anxiety Administered as Computerized Adaptive Test (CAT): A Comparison with the Brief Symptom Inventory (BSI). *Psychol Assess* 2022;34:58–69.
66. de Graaf JA, Volkers EJ, Schepers VPM, Visser-Meilis JMA, Post MWM. Validity of the Utrecht scale for evaluation of rehabilitation-participation restrictions scale in a hospital-based stroke population 3 months after stroke. *Top Stroke Rehabil* 2022;29:516–525.
67. Kuijlaars IAR, Teela L, van Vulpen LFD, Timmer MA, Coppens M, Gouw SC, Peters M, Kruip MJHA, Cnossen MH, Muis JJ, van Hoorn ES, Haverman L, Fischer K. Generic PROMIS item banks in adults with hemophilia for patient-reported outcome assessment: Feasibility, measurement properties, and relevance. *Res Pract Thromb Haemost* 2021;5:e12621.

68. van Andel DM, van Stel HF, Scheepers FE, Oostrom KJ, Haverman L, Bruining H. The sensory-reactivity PROM set: identification of a parent reported outcome measure set for autism spectrum disorder. *J Patient Rep Outcomes*. 2021 Nov 17;5(1):123.
69. van den Ende ES, van Veldhuizen KDI, Toussaint B, Merten H, van de Ven PM, Kok NA, Nanayakkara PWB. Hospitalized COVID-19 Patients Were Five Times More Likely to Suffer From Total Sleep Deprivation Compared to Non-COVID-19 Patients; an Observational Comparative Study. *Front Neurosci*. 2021;15:680932.
70. Terwee CB, Peipert JD, Chapman J, Lai JS, Terluin B, Cella D, Griffith P, Mokkink LB. Minimal Important Change (MIC): A conceptual clarification and systematic review of MIC estimates of PROMIS measures. *Qual Life Res* 2021;30:2729–2754.
71. Pellicciaria L, Chiarotto A, Giusti E, Crins MHP, Roorda LD, Terwee CB. Psychometric properties of the Patient-Reported Outcomes Measurement Information System Scale v1.2 - Global Health (PROMIS-GH) in a Dutch general population. *Health Qual Life Outcomes* 2021;19:226.
72. Terwee CB, Zuidgeest M, Vonkeman HE, Cella D, Haverman L, Roorda LD. Common patient-reported outcomes across ICHOM Standard Sets: the potential contribution of PROMIS®. *BMC Med Inform Decis Mak* 2021;21:259.
73. Iliaens J, Onsea J, Hoekstra H, Nijs S, Peetermans WE, Metsemakers WJ. Fracture-related infection in long bone fractures: A comprehensive analysis of the economic impact and influence on quality of life. *Injury* 2021;2:3344-3349.
74. Zijlmans J, Teela L, van Ewijk H, Klip H, van der Mheen M, Ruisch H, Luijten MAJ, van Muilekom MM, Oostrom KJ, Buitelaar J, Hoekstra PJ, Lindauer R, Popma A, Staal W, Vermeiren R, van Oers HA, Haverman L, Polderman TJC. Mental and Social Health of Children and Adolescents With Pre-existing Mental or Somatic Problems During the COVID-19 Pandemic Lockdown. *Front Psychiatry*. 2021;12:692853.
75. Terwee CB, Peipert JD, Chapman J, Lai JS, Terluin B, Cella D, Griffith P, Mokkink LB. Minimal Important Change (MIC): A conceptual clarification and systematic review of MIC estimates of PROMIS measures. *Qual Life Res* 2021;30:2729-2754.
76. Van Balen EC, Haverman L, Hassan S, Taal LM, Smit C, Driessens MH, Beckers EAM, Coppens M, Eikenboom J, Hooimeijer LH, Leerbeek FWG, van Vulpen LFD, Schols SEM, Terwee CB, Rosendaal FR, van der Bom JG, Gouw SG, Validation of PROMIS Profile-29 in adults with hemophilia in the Netherlands. *J Thromb Haemost* 2021;19:2687-2701.
77. Van Muilekom MM, Luijten MAJ, van Litsenburg RRL, Grootenhuis MA, Terwee CB, Haverman L. Psychometric properties of the Patient-Reported Outcomes Measurement Information System (PROMIS®) pediatric Anger scale in the Dutch general population. *Psychological Assessment* 2021;33:1261-1266.
78. van Muilekom MM, Luijten MAJ, van Oers HA, Terwee CB, van Litsenburg RLR, Roorda LD, Grootenhuis MA, Haverman L. From statistics to clinics: The visual feedback of PROMIS® CATs. *J Patient Rep Outcomes* 2021;5:55.
79. Warnink-Kavelaars J, de Koning LE, Rombaut L, Alsem MW, Menke LA, Oosterlaan J, Buizer AI, Engelbert RHH, On Behalf Of The Pediatric Heritable Connective Tissue Disorders Study Group. Heritable Connective Tissue Disorders in Childhood: Increased Fatigue, Pain, Disability and Decreased General Health. *Genes* 2021;12:831.
80. Van De Sande M, Tap WD, Gelhorn HL, Ye X, Speck RM, Palmerini E, Stacchiotti S, Desai J, Wagner AJ, Alcindor T, Ganjoo K, Martín-Broto J, Wang Q, Shuster D, Gelderblom H, Healey JH. Pexidartinib improves physical functioning and stiffness in patients with tenosynovial giant cell tumor: results from the ENLIVEN randomized clinical trial. *Acta Orthop* 2021;92:493-499.
81. Klaufus LH, Luijten MAJ, Verlinden E, van der Wal MF, Haverman L, Cuijpers P, Chinapaw MJM, Terwee CB. Validation of the PROMIS® pediatric item banks Anxiety and Depressive Symptoms in a general population. *Qual Life Res* 2021;30:2683–2695.

82. Luijten MAJ, van Muilekom MM, Teela T, van Oers HA, Terwee CB, Zijlmans J, Klaufus L, Popma A, Oostrom KJ, Polderman TJC, Haverman L. The impact of lockdown during the COVID-19 pandemic on mental and social health of children and adolescents. *Qual Life Res* 2021;30:2061-2070.
83. Elsman EBM, Roorda LD, Crins MHP, Boers M, Terwee CB. Dutch reference values for the Patient-Reported Outcomes Measurement Information System Scale v1.2 - Global Health (PROMIS-GH). *J Patient Rep Outcomes* 2021;5:38.
84. Verbeek DO, Terwee CB, Haverman L. Using the patient-reported outcomes measurement information system (PROMIS) in international orthopaedic trauma research: a practical approach. *Injury* 2021;52:3537-3539.
85. de Graaf JA, Visser-Melby JM, Schepers VP, Baars A, Kappelle LJ, Passier PE, Wermer MJ, de Wit DC, Post MW. Comparison between EQ-5D-5L and PROMIS-10 to evaluate health-related quality of life 3 months after stroke: a cross-sectional multicenter study. *Eur J Phys Rehabil Med* 2021;57:337-346.
86. Smit EB, Bouwstra H, Hertogh CMPM, van der Wouden JC, Wattel EM, Roorda LD, Terwee CB. A PROMIS short form for measuring physical function during geriatric rehabilitation: test-retest reliability, construct validity, responsiveness and interpretability. *J Am Med Dir Assoc* 2021;22:1627-1632.
87. Luijten MAJ, van Litsenburg RRL, Terwee CB, Grootenhuis MA, Haverman L. Psychometric properties of the Patient-Reported Outcomes Measurement Information System (PROMIS®) Pediatric item bank Peer Relationships in the Dutch general population. *Qual Life Res* 2021;30:2061-2070.
88. Abma IL, Butje BJD, ten Klooster PM, van der Wees PJ. Measurement properties of the Dutch–Flemish patient-reported outcomes measurement information system (PROMIS) physical function item bank and instruments: a systematic review. *Health Qual Life Outcomes* 2021;19:62.
89. Terwee CB, Crins MHP, Roorda LD, Cook KF, Cella D, Smits N, Schalet BD. International application of PROMIS® computerized adaptive tests: US versus country-specific item parameters. *J Clin Epidemiol* 2021;134:1-13.
90. van der Velde M, Valkenet K, Geleijn E, Kruisselbrink M, Marsman M, Janssen LM, Ruurda JP, van der Peet DL, Aarden JJ, Veenhof C, van der Leeden M. Usability and Preliminary Effectiveness of a Preoperative mHealth App for People Undergoing Major Surgery: Pilot Randomized Controlled Trial. *JMIR Mhealth Uhealth* 2021;9:e23402.
91. Van Kooten JAMC, Terwee CB, Luijten MAJ, Steur LMH, Pillen S, Wolters NGJ, Kaspers GJL, van Litsenburg RRL. Psychometric properties of the Patient-Reported Outcomes Measurement Information System (PROMIS) Sleep Disturbance and Sleep-Related Impairment item banks in adolescents. *J Sleep Res.* 2021;30:e13029.
92. van Gorp M, Dallmeijer AJ, van Wely L, de Groot V, Terwee CB, Flens G, de Groot V, Stam HJ, van der Slot W, Roebroeck ME, and on behalf of the PERRIN DECADE study group. Pain, fatigue, depressive symptoms and sleep disturbance in young adults with cerebral palsy. *Dis Rehab* 2021;43:2164-2171.
93. Flens G, Smits N, Terwee CB, Pijck L, Spinoven P, de Beurs E. Practical Significance of Longitudinal Measurement Invariance Violations in the Dutch-Flemish PROMIS Item Banks for Depression and Anxiety: an illustration with Ordered-Categorical Data. *Assessment* 2021;28:277-294.
94. Van Bruggen SGJ, Lameijer CM, Terwee CB. Structural validity and construct validity of the Dutch-Flemish PROMIS® v2.0 Physical Function - Upper Extremity item bank in Dutch patients with musculoskeletal disorders of the upper extremity. *Disab Rehab* 2021;43:1176-1184.
95. Vanden Wyngaert K, Van Craenenbroeck AH, Eloot S, Calders P, Celie B, Holvoet E, Van Biesen W. Associations between the measures of physical function, risk of falls and the

- quality of life in haemodialysis patients: a cross-sectional study. *BMC Nephrol.* 2020 Jan 6;21:7.
96. Terwee CB. The value of item banks, CAT and PROMIS for dermatology. *J Invest Dermatol* 2020;140:1089-1091.
97. Tamminga SJ, van Vree FM, Volker G, Roorda LD, Terwee CB, Goossens PH, Vliet Vlieland TPM. Changes in the ability to participate in and satisfaction with social roles and activities in patients in outpatient rehabilitation. *J Patient Rep Outcomes* 2020;4:73.
98. van Leeuwen LM, Tamminga SJ, Ravinskaya M, Wind A de, Hahn EA, Terwee CB, Beckerman H, Boezeman EJ, Hoving JL, Huysmans MA, Nieuwenhuijsen K, de Boer AGEM, van der Beek AJ. Proposal to extend the PROMIS® item bank v2.0 'Ability to Participate in Social Roles and Activities': item generation and content validity. *Qual Life Res.* 2020;29:2851-2861.
99. Smit EB, Bouwstra H, van der Wouden JC, Hertogh CMPM, Wattel EM, Roorda LD, Terwee CB. Development of a Patient-Reported Outcomes Measurement Information System (PROMIS®) short form for measuring physical function in geriatric rehabilitation patients. *Qual Life Res* 2020;29:2563-2572.
100. Lameijer CM, van Bruggen SGJ, Haan EA; van Deurzen DFP, van der Elst K, Stouten V, Kaat AJ, Roorda LD, Terwee CB. Graded response model fit, measurement invariance and (comparative) precision of the Dutch-Flemish PROMIS® Upper Extremity v2.0 item bank in patients with upper extremity disorders. *BMC Musculoskelet Disord* 2020;21:170.
101. Haan EJA, Terwee CB, van Wier MF, Willigenburg NW, van Deurzen DFP, Pisters MF, Kaat AJ, Roorda LD. Translation, cross-cultural and construct validity of the Dutch-Flemish PROMIS® upper extremity item bank v2.0. *Qual Life Res* 2020;29:1123-1135.
102. Chiarotto A, Roorda LD, Crins MH, Boers M, Ostelo RW, Terwee CB. PROMIS Physical Function short forms display item- and scale-level characteristics at least as good as the Roland Morris Disability Questionnaire in patients with chronic low back pain. *Arch Phys Med Rehab* 2020;101:297-308.
103. Luijten MAJ, Terwee CB, van Oers HA, Joosten MMH, van den Berg JM, Schonenberg-Meinema D, Dolman KM, ten Cate R, Roorda L, Grootenhuis MA, van Rossum MAJ, Haverman L. Psychometric properties of the pediatric Patient-Reported Outcomes Measurement Information System (PROMIS®) item banks in a Dutch clinical sample of children with Juvenile Idiopathic Arthritis. *Arthritis Care Res* 2020;72:1780-1789.
104. Crins MPH, Terwee CB, Westhovens R, van Schaardenburg D, Smits N, Joly J, Verschueren P, Van der Elst K, Dekker J, Boers M, Roorda LD. First Validation of the Full PROMIS Pain Interference and Pain Behavior Item Banks in Patients with Rheumatoid Arthritis. *Arthritis Care Res* 2020;72:1550-1559.
105. Wind A de, van der Beek AJ, Boezeman EJ, Swenneker R, Anema JR, de Boer AGEM, Beckerman H, Hoving JL, Nieuwenhuijsen K, Scharn M, Stam M, Terwee CB, Frings-Dresen MHW, Tamminga SJ. A qualitative study investigating the meaning of participation to improve the measurement of this construct. *Qual Life Res* 2019;28:2233-2246.
106. Schuller W, Terwee CB, Klausch T, Roorda LD, Rohrich DC, Ostelo RWJG, de Vet HCW. Validation of the Dutch-Flemish PROMIS Pain Behavior item bank in patients with musculoskeletal complaints. *J Pain* 2019;20:1328-1337.
107. Roorda LD, Crins MH, Terwee CB. Patient-Reported Outcomes Measurement Information System (PROMIS®). *J Physiotherapy* 2019;65:110
108. Crins MHP, Terwee CB, Ogreden O, Schuller W, Dekker P, Flens G, Rohrich DC, Roorda LD. Differential item functioning of the PROMIS physical function, pain interference, and pain behavior item banks across patients with different musculoskeletal disorders and persons from the general population. *Qual Life Res.* 2019;28:1231-1243.
109. Terwee CB, Crins MHP, Boers M, de Vet HCW, Roorda LD. Validation of two PROMIS item banks for measuring social participation in the Dutch general population. *Qual Life Res* 2019;28:211-220.

110. Schuller W, Terwee CB, Klausch T, Roorda LD, Rohrich DC, Ostelo RW, Terluin B, de Vet HCW. Validation of the Dutch-Flemish PROMIS Pain Interference item bank in patients with musculoskeletal complaints. *Spine* 2019;44:411-419.
111. Flens G, Smits N, Terwee CB, Dekker J, Huijbrechts I, Spinhoven P, de Beurs E. Development of a Computerized Adaptive Test for Anxiety based on the Dutch-Flemish version of the PROMIS Item Bank. *Assessment* 2019;26:1362-1374.
112. Van Kooten JAMC, van Listenburg RRL, Yoder WR, Kaspers GJL, Terwee CB. Validation of the PROMIS Sleep Disturbance and Sleep-Related Impairment item banks in Dutch adolescents. *Qual Life Res* 2018;27:1911-1920.
113. Wesselius HM, van den Ende ES, Alsma J, Ter Maaten JC, Schuit SCE, Stassen PM, de Vries OJ, Kaasjager KHAH, Haak HR, van Doormaal FF, Hoogerwerf JJ, Terwee CB, van de Ven PM, Bosch FH, van Someren EJ, Nanayakkara PWB. Quality and quantity of sleep and factors associated with sleep disturbance in hospitalised patients. *JAMA Intern Med* 2018;178:1201-1208.
114. van der Meij E, Anema JR, Leclercq WKG, Bongers MY, Consten ECJ, Schraffordt Koops SE, van de Ven PM, Terwee CB, Schaafsma FG, Meijerink WJHJ, Bonjer HJ, Huirne JAF. Personalized perioperative care by e-health after intermediate-grade abdominal surgery; a multicentre, single-blind, randomised, placebo-controlled trial. *Lancet*, 2018;392:51-59.
115. Paap MCS, Kroese KA, Glas CAW, Terwee CB, van der Palen J, Veldkamp BP. Measuring patient-reported outcomes adaptively: Multidimensionality matters! *Applied Psychological Measurement* 2018;42:327-342.
116. Van der Meij E, Anema JR, Huirne JAF, Terwee CB. Using PROMIS for measuring recovery after abdominal surgery: a pilot study. *BMC Health Services Research* 2018;18:128.
117. Crins MH, van der Wees PJ, Klausch T, van Dulmen SA, Roorda LD, Terwee CB. Psychometric Properties of the Dutch-Flemish PROMIS Physical Function Item Bank in Patients Receiving Physical Therapy. *PLOS ONE* Jan 2018;13:e0192187.
118. Chiarotto A, Ostelo RW, Boers M, Terwee CB. A systematic review highlights the need to investigate the content validity of patient-reported outcome measures for physical functioning in low back pain. *J Clin Epidemiol* 2018;95:73-93.
119. Chiarotto A, Terwee CB, Kamper SJ, Boers M, Ostelo RW. Evidence on the measurement properties of health-related quality of life instruments is largely missing in patients with low back pain, a systematic review. *J Clin Epidemiol* 2018;102:23-37.
120. Chiarotto A, Boers M, Deyo RA, Buchbinder R, Corbin TP, Costa LOP, Foster NE, Grotle M, Koes BW, Kovacs FM, Lin CC, Maher CG, Pearson AM, Peul WC, Schoene ML, Turk DC, van Tulder MW, Terwee CB, Ostelo RW. Core outcome measurement instruments for clinical trials in non-specific low back pain. *Pain* 2018;159:481-495.
121. Paap MCS, Kroese KA, Terwee CB, van der Palen J, Veldkamp BP. Item usage in a multidimensional computerized adaptive test (MCAT) measuring health-related quality of life. *Qual Life Res* 2017;26:2909-2918.
122. Crins M, Terwee CB, Dekker J, Revicki D, van Leeuwen J, Klausch T, Smits N, de Vet HCW, Boers M, Westhovens R, Cook KF, Roorda LD, Cella D. The Dutch-Flemish PROMIS Physical Function Item Bank Exhibited Strong Psychometric Properties in Patients with Chronic Pain. *J Clin Epidemiol* 2017;87:47-58.
123. Flens G, Smits N, Terwee CB, Dekker J, Huijbrechts I, de Beurs E. Development of a Computer Adaptive Test for Depression based on the Dutch-Flemish version of the PROMIS Item Bank. *Evaluation & the Health Professions* 2017;40:79-105.
124. Klokker L, Terwee CB, Wæhrens EE, Henriksen M, Nolte S, Liegl G, Kloppenburg M, Westhoven R, Wittoek R, Schalet B, Gershon R, Bliddal H, Christensen R. Hand-related physical function in rheumatic hand conditions: Protocol for developing a patient-reported outcome measurement instrument. *BMC Open* 2016;6:e011174.

125. van Kooten JAMC, Terwee CB, Kaspers GJL, van Litsenburg RRL. Content validity of the PROMIS Sleep Disturbance and Sleep Related Impairment item banks in adolescents. *Health Qual Life Outcomes* 2016;14:92.
126. Crins M, Roorda LD, Smits N, de Vet HCW, Westhovens R, Cella D, Cook KF, Revicki D, van Leeuwen J, Boers M, Dekker J, Terwee CB. Calibration of the Dutch-Flemish PROMIS Pain Behavior Item Bank in Patients with Chronic Pain. *Eur J Pain* 2016;20:284-296.
127. Haverman L, Grootenhuis MA, Raat H, van Rossum MAJ, van Dulmen-den Broeder E, Hoppenbrouwers K, Correia H, Cella D, Roorda LD, Terwee CB. Dutch-Flemish translation of nine pediatric item banks from the Patient Reported Outcomes Measurement Information System (PROMIS). *Qual Life Res* 2016;25:761-765.
128. van der Meij E, Huirne JA, Bouwsma EV, van Dongen JM, Terwee CB, van de Ven PM, den Bakker CM, van der Meij S, van Baal WM, Leclercq WK, Geomini PM, Consten EC, Schraffordt Koops SE, van Kesteren PJ, Stockmann HB, Ten Cate AD, Davids PH, Scholten PC, van den Heuvel B, Schaafsma FG, Meijerink WJ, Bonjer HJ, Anema JR. Substitution of Usual Perioperative Care by eHealth to Enhance Postoperative Recovery in Patients Undergoing General Surgical or Gynecological Procedures: Study Protocol of a Randomized Controlled Trial 2016 21:5:e245.
129. Crins M, Roorda LD, Smits N, de Vet HCW, Westhovens R, Cella D, Cook KF, Revicki D, van Leeuwen J, Boers M, Dekker J, Terwee CB. Calibration and validation of the Dutch-Flemish PROMIS Pain Interference Item Bank in Patients with Chronic Pain. *PloS ONE* 2015; 10(7): e0134094.
130. Oude Voshaar MAH; ten Klooster PM; Glas CAW; Vonkeman HE; Taal E; Krishnan E, Boers M; Terwee CB; van Riel PLCM; van de Laar MAFJ. Validity and measurement precision of the PROMIS physical function item bank and a content-validity driven 20-item short form in rheumatoid arthritis compared with traditional measures. *Rheumatology* 2015;54:2221-2229.
131. Paap MCS, Bode C, Lenferink LIM, Terwee CB, van der Palen J. Identifying key domains of health-related quality of life for patients with Chronic Obstructive Pulmonary Disease: interviews with healthcare professionals. *Qual Life Res* 2015;24:1351-67.
132. Paap MCS, Bode C, Lenferink LIM, Groen LC, Terwee CB, Ahmed S, Eilayyan O, van der Palen J. : Identifying key domains of health-related quality of life for patients with Chronic Obstructive Pulmonary Disease: the patient perspective. *Health Qual Life Outcomes* 2014;12:106.
133. Terwee CB, Roorda LD, de Vet HCW, Dekker J, Westhovens R, van Leeuwen J, Cella D, Correia H, Arnold B, Perez B, Boers M. Dutch-Flemish translation of 17 item banks from the Patient Reported Outcomes Measurement Information System (PROMIS). *Qual Lif Res* 2014;23:1733-1741.
134. Oude Voshaar MAH; ten Klooster PM; Glas CAW; Vonkeman HE; Taal E; Krishnan E, Boers M; Terwee CB; van Riel PLCM; van de Laar MAFJ. Calibration of the PROMIS physical function item bank in Dutch patients with rheumatoid arthritis. *PLoS One* 2014;9:e92367.